

Brineura (cerliponase alfa) (Intraventricular)

Document Number: IC-0299

Last Review Date: 02/02/2023

Date of Origin: 5/30/2017

Dates Reviewed: 05/2017, 04/2018, 02/2019, 02/2020, 02/2021, 02/2022, 02/2023

I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Brineura 150 mg/5 mL single dose vial: 2 vials every 14 days

B. Max Units (per dose and over time) [HCPCS Unit]:

- 300 billable units (1 kit containing 2 vials) every 14 days

III. Initial Approval Criteria ¹

Coverage is provided in the following conditions:

- Patient is at least 3 years of age; **AND**

Universal Criteria ¹

- Patient must not have acute intraventricular access device-related complications (e.g., leakage, extravasation of fluid, or device failure); **AND**
- Patient must not have ventriculoperitoneal shunts; **AND**
- Patient has no sign or symptom of acute, unresolved localized infection on or around the device insertion site (e.g. cellulitis or abscess); or a suspected or confirmed CNS infection (e.g., cloudy CSF, positive CSF gram stain, or meningitis); **AND**

Late infantile neuronal ceroid lipofuscinosis type 2 (CLN2); tripeptidyl peptidase 1 (TPP1) deficiency † Φ ^{1,2,7,8}

- Patient must have a definitive diagnosis of late infantile CLN2 confirmed by deficiency of the lysosomal enzyme tripeptidyl peptidase-1 (TPP1) and/or molecular analysis indicating two (2) pathogenic variants/mutations in the TPP1/CLN2 gene on chromosome 11p15; **AND**

- Patient has mild to moderate disease documented by a two-domain score of 3 to 6 on the motor and language domains of the Hamburg CLN2 Clinical Rating Scale, with a score of at least 1 in each of these two domains; **AND**
- Patient is ambulatory; **AND**
- Patients with a history of bradycardia, conduction disorder, or with structural heart disease must have electrocardiogram (ECG) monitoring performed during the infusion

† FDA-labeled indication(s); ‡ Compendia recommended Indication(s); Ⓢ Orphan Drug

IV. Renewal Criteria ¹

Coverage can be renewed based on the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Absence of unacceptable toxicity from the drug or complications from the device. Examples of unacceptable toxicity or complications include: meningitis and other intraventricular access device-related infections, intraventricular access device-related complications, severe hypersensitivity reactions including anaphylaxis, severe cardiovascular reactions, etc.; **AND**
- Patient has had a 12-lead ECG evaluation performed within the last 6 months (those with cardiac abnormalities require an ECG during each infusion); **AND**
- Patient has responded to therapy compared to pretreatment baseline with stability/lack of decline in motor function/milestones on the Motor domain of the Hamburg CLN2 Clinical Rating Scale [Decline is defined as having an unreversed (sustained) 2-category decline or an unreversed score of 0].

V. Dosage/Administration ¹

| Indication | Dose |
|------------|--|
| CLN2 | <p>300 mg administered once every other week by intraventricular infusion. Administer Brineura first followed by infusion of the Intraventricular Electrolytes each at an infusion rate of 2.5 mL/hr. The complete Brineura infusion, including the required infusion of Intraventricular Electrolytes, is approximately 4.5 hours.</p> <ul style="list-style-type: none"> • Aseptic technique must be strictly observed during preparation and administration. • Brineura should be administered by, or under the direction of, a physician knowledgeable in intraventricular administration. • Brineura is administered into the cerebrospinal fluid (CSF) by infusion via a surgically implanted reservoir and catheter (intraventricular access device). Brineura is intended to be administered via the Codman® HOLTER RICKHAM Reservoirs with the Codman® Ventricular Catheter. The intraventricular access |

| | |
|--|--|
| | <p>device must be implanted prior to the first infusion. It is recommended that the first dose be administered at least 5 to 7 days after device implantation.</p> <ul style="list-style-type: none"> • Brineura is intended to be administered with the B Braun Perfusor® Space Infusion Pump System. • Pre-treatment of patients with antihistamines with or without antipyretics or corticosteroids is recommended 30 to 60 minutes prior to the start of infusion. |
|--|--|

VI. Billing Code/Availability Information

HCPCS Code:

- J0567 – Injection, cerliponase alfa, 1 mg: 1 billable unit = 1 mg

NDC:

- Brineura 150 mg/5 mL (30 mg/mL) solution, two single-dose vials per carton co-packaged with Intraventricular Electrolytes Injection 5 mL in a single-dose vial: 68135-0811-xx

VII. References

1. Brineura [package insert]. Novato, CA; BioMarin Pharmaceutical Inc.; March 2020. Accessed January 2023.
2. Schulz A, Specchio N, Gissen P. Intracerebroventricular Cerliponase Alfa (BMN 190) in Children with CLN2 Disease: Interim Results from a Phase 1/2, Open-Label, Dose-Escalation Study. *Neuropediatrics* 2016; 47 - FV02-06. DOI: 10.1055/s-0036-1583718.
3. Cherukuri A, Cahan H, Van Tuyl A, et al. Immunogenicity to cerliponase alfa, an enzyme replacement therapy for patients with CLN2 disease: results from a phase 1/2 study. *Molecular Genetics and Metabolism*. 2017 Jan 1;120(1):S35.
4. Schulz A, Specchio N, Gissen P, et al. Long-term safety and efficacy of intracerebroventricular enzyme replacement therapy with cerliponase alfa in children with CLN2 disease: interim results from an ongoing multicenter, multinational extension study. *Molecular Genetics and Metabolism*. 2017 Jan 1;120(1):S120.
5. Mole SE, Williams RE. Neuronal Ceroid-Lipofuscinoses. 2010 Oct 10. [Updated 2013 Aug 13]. *GeneReviews®* [Internet]. University of Washington, Seattle; 1993-2021. www.ncbi.nlm.nih.gov/books/NBK1428/. Accessed on December 30, 2021.
6. Online Mendelian Inheritance in Man, OMIM®. Johns Hopkins University, Baltimore, MD. MIM Number: 204500: 9/18/2016. World Wide Web URL: <https://omim.org/>
7. Schulz A, Ajayi T, Specchio N, et al. Study of Intraventricular Cerliponase Alfa for CLN2 Disease. *N Engl J Med*. 2018 May 17;378(20):1898-1907. doi: 10.1056/NEJMoa1712649. Epub 2018 Apr 24.
8. Fietz M, AlSayed M, Burke D, et al. Diagnosis of neuronal ceroid lipofuscinosis type 2 (CLN2 disease): Expert recommendations for early detection and laboratory diagnosis. *Mol Genet Metab*. 2016 Sep;119(1-2):160-7. doi: 10.1016/j.ymgme.2016.07.011.

Appendix 1 – Covered Diagnosis Codes

| ICD-10 | ICD-10 Description |
|--------|--------------------------------|
| E75.4 | Neuronal ceroid lipofuscinosis |

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at: <https://www.cms.gov/medicare-coverage-database/search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA):N/A

| Medicare Part B Administrative Contractor (MAC) Jurisdictions | | |
|---|---|---|
| Jurisdiction | Applicable State/US Territory | Contractor |
| E (1) | CA, HI, NV, AS, GU, CNMI | Noridian Healthcare Solutions, LLC |
| F (2 & 3) | AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ | Noridian Healthcare Solutions, LLC |
| 5 | KS, NE, IA, MO | Wisconsin Physicians Service Insurance Corp (WPS) |
| 6 | MN, WI, IL | National Government Services, Inc. (NGS) |
| H (4 & 7) | LA, AR, MS, TX, OK, CO, NM | Novitas Solutions, Inc. |
| 8 | MI, IN | Wisconsin Physicians Service Insurance Corp (WPS) |
| N (9) | FL, PR, VI | First Coast Service Options, Inc. |
| J (10) | TN, GA, AL | Palmetto GBA, LLC |
| M (11) | NC, SC, WV, VA (excluding below) | Palmetto GBA, LLC |
| L (12) | DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA) | Novitas Solutions, Inc. |
| K (13 & 14) | NY, CT, MA, RI, VT, ME, NH | National Government Services, Inc. (NGS) |
| 15 | KY, OH | CGS Administrators, LLC |

Nondiscrimination & Language Access Policy

Aspirus Health Plan, Inc. complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, sex, sexual orientation, or gender identity. *We* do not exclude people or treat them differently because of race, color, national origin, age, disability, sex, sexual orientation, or gender identity.

We will:

Provide free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provide free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If *you* need these services, contact *us* at the phone number shown on the inside cover of this *contract*, *your* id card, or aspirushealthplan.com.

If *you* believe that *we* have failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, sex, sexual orientation, or gender identity, *you* can file a grievance with:

Nondiscrimination Grievance Coordinator
Aspirus Health Plan, Inc.
PO Box 1062
Minneapolis, MN 55440
Phone: 1.866.631.5404 (TTY: 711)
Fax: 763.847.4010
Email: customerservice@aspirushealthplan.com

You can file a grievance in person or by mail, fax, or email. If *you* need help filing a grievance, the Nondiscrimination Grievance Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

Albanian: KUJDES: Nëse flitni shqip, për ju ka në dispozicion shërbime të asistencës gjuhësore, pa pagesë. Telefononi në 1.866.631.5404 (TTY: 711).

Arabic: تنبيه: إذا كنت تتحدث اللغة العربية، فإن خدمات المساعدة اللغوية متاحة لك مجاناً. اتصل بن اعلى رقم الهاتف 1.866.631.5404 (رقم هاتف الصم والبك : 711)

French: ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelezle 1.866.631.5404 (ATS : 711).

German: ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.866.631.5404 (TTY: 711).

Hindi: _यान द_ : य_द आप िहंदी बोलते ह_ तो आपके िलए मु_त म_ भाषा सहायता सेवाएं उपल_ध ह_। 1.866.631.5404 (TTY: 711) पर कॉल कर_।

Hmong: LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.866.631.5404 (TTY: 711).

Korean: 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.866.631.5404 (TTY: 711)번으로 전화해 주십시오.

Polish: UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 1.866.631.5404 (TTY: 711).

Russian: ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.866.631.5404 (телетайп: 711).

Spanish: ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.866.631.5404 (TTY: 711).

Tagalog: PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nangwalang bayad. Tumawag sa 1.866.631.5404 (TTY: 711)

Traditional Chinese: 注意: 如果您使用繁體中文, 您可以免費獲得語言援助服務。請致電 1.866.631.5404 (TTY:711)。

Vietnamese: CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.866.631.5404 (TTY: 711).

Pennsylvania Dutch: Wann du Deitsch (Pennsylvania German / Dutch) schwetzsch, kannscht du mitaus Koschte ebbergricke, ass dihr helft mit die englisch Schprooch. Ruf selli Nummer uff: Call 1.866.631.5404 (TTY: 711).

Lao: ໄປ່ດຊາຍ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 1.866.631.5404 (TTY:711).