

## Aliqopa® (copanlisib) (Intravenous)

Document Number: IC-0321

Last Review Date: 10/24/2022

Date of Origin: 09/19/2017

Dates Reviewed: 09/2017, 07/2018, 10/2018, 11/2019, 11/2020, 11/2021, 11/2022

### I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

### II. Dosing Limits

#### A. Quantity Limit (max daily dose) [NDC Unit]:

- Aliqopa 60 mg single-dose vial: 3 vials per 28 day supply

#### B. Max Units (per dose and over time) [HCPCS Unit]:

- 60 billable units on Days 1, 8, & 15 of a 28-day cycle

### III. Initial Approval Criteria <sup>1</sup>

Coverage is provided in the following conditions:

- Patient is at least 18 years of age; **AND**

#### Universal Criteria <sup>1,3</sup>

- Used as a single agent; **AND**

#### B-Cell Lymphomas <sup>1,3</sup>

- Used as subsequent therapy after at least two (2) prior therapies; **AND**
- Patient has one of the following diagnoses:
  - Follicular Lymphoma (FL) that is relapsed, refractory, or progressive † **Φ**; **OR**
  - Nongastric (Noncutaneous) MALT Lymphoma that is relapsed or refractory ‡; **OR**
  - Gastric MALT Lymphoma that is relapsed, refractory, or progressive ‡; **OR**
  - Nodal Marginal Zone Lymphoma that is relapsed, refractory, or progressive ‡; **OR**
  - Splenic Marginal Zone Lymphoma that is relapsed or refractory ‡

† FDA-labeled indication(s); ‡ Compendia recommended indication(s); **Φ** Orphan Drug

#### IV. Renewal Criteria <sup>1,3</sup>

Coverage can be renewed based upon the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: serious infections (e.g., pneumocystis jiroveci pneumonia [PJP] of any grade), uncontrolled hyperglycemia, uncontrolled hypertension, non-infectious pneumonitis, neutropenia (i.e., ANC < 0.5 x 10<sup>3</sup> cells/mm<sup>3</sup>), severe cutaneous reactions (i.e., Grade 3 or 4), etc.; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread

#### V. Dosage/Administration <sup>1</sup>

| Indication       | Dose                                                                                                                                                       |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B-Cell Lymphomas | Administer 60 mg as an intravenous infusion on Days 1, 8, and 15 of a 28-day cycle. Continue treatment until disease progression or unacceptable toxicity. |

#### VI. Billing Code/Availability Information

HCPCS Code:

- J9057 – Injection, copanlisib, 1 mg: 1 billable unit = 1 mg

NDC:

- Aliqopa 60 mg single-dose vial: 50419-0385-xx

#### VII. References

1. Aliqopa [package insert]. Whippany, NJ; Bayer HealthCare Pharmaceuticals Inc.; February 2022. Accessed September 2022.
2. Dreyling M, Santoro A., Mollica L, et al. (2017) COPANLISIB IN PATIENTS WITH RELAPSED OR REFRACTORY INDOLENT B-CELL LYMPHOMA (CHRONOS-1). Hematological Oncology, 35(S2): 119–120. doi: 10.1002/hon.2437\_107.
3. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) Copanlisib. National Comprehensive Cancer Network, 2022. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed September 2022.
4. Dreyling M, Santoro A, Mollica L, et al. Updated Safety and Efficacy from the Copanlisib CHRONOS-1 Trial in Patients with Relapsed or Refractory Indolent B-Cell Lymphoma: Low Incidence of Late-Onset Severe Toxicities. Blood, 130(Suppl 1), 2777.

5. Martin Dreyling, Armando Santoro, Luigina Mollica, et al. Phosphatidylinositol 3-Kinase Inhibition by Copanlisib in Relapsed or Refractory Indolent Lymphoma. J Clin Oncol 2017; 35: 3898-3905.
6. Dreyling M, Panayiotidis P, Egyed M, et al. Efficacy of Copanlisib Monotherapy in Patients with Relapsed or Refractory Marginal Zone Lymphoma: Subset Analysis from the CHRONOS-1 Trial [abstract]. Blood 2017;130:Abstract 4053.

## Appendix 1 – Covered Diagnosis Codes

| ICD-10 | ICD-10 Description                                                                        |
|--------|-------------------------------------------------------------------------------------------|
| C82.00 | Follicular lymphoma grade I, unspecified site                                             |
| C82.01 | Follicular lymphoma grade I, lymph nodes of head, face and neck                           |
| C82.02 | Follicular lymphoma, grade I, intrathoracic lymph nodes                                   |
| C82.03 | Follicular lymphoma grade I, intra-abdominal lymph nodes                                  |
| C82.04 | Follicular lymphoma grade I, lymph nodes of axilla and upper limb                         |
| C82.05 | Follicular lymphoma grade I, lymph nodes of inguinal regional and lower limb              |
| C82.06 | Follicular lymphoma grade I, intrapelvic lymph nodes                                      |
| C82.07 | Follicular lymphoma grade I, spleen                                                       |
| C82.08 | Follicular lymphoma grade I, lymph nodes of multiple sites                                |
| C82.09 | Follicular lymphoma grade I, extranodal and solid organ sites                             |
| C82.10 | Follicular lymphoma grade II, unspecified site                                            |
| C82.11 | Follicular lymphoma grade II, lymph nodes of head, face and neck                          |
| C82.12 | Follicular lymphoma, grade II, intrathoracic lymph nodes                                  |
| C82.13 | Follicular lymphoma grade II, intra-abdominal lymph nodes                                 |
| C82.14 | Follicular lymphoma grade II, lymph nodes of axilla and upper limb                        |
| C82.15 | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb               |
| C82.16 | Follicular lymphoma grade II, intrapelvic lymph nodes                                     |
| C82.17 | Follicular lymphoma grade II, spleen                                                      |
| C82.18 | Follicular lymphoma grade II, lymph nodes of multiple sites                               |
| C82.19 | Follicular lymphoma grade II, extranodal and solid organ sites                            |
| C82.20 | Follicular lymphoma grade III, unspecified, unspecified site                              |
| C82.21 | Follicular lymphoma grade III, unspecified, lymph nodes of head, face and neck            |
| C82.22 | Follicular lymphoma, grade III, unspecified, intrathoracic lymph nodes                    |
| C82.23 | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes                   |
| C82.24 | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb          |
| C82.25 | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb |
| C82.26 | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes                       |
| C82.27 | Follicular lymphoma grade III, unspecified, spleen                                        |
| C82.28 | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites                 |
| C82.29 | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites              |

|        |                                                                                   |
|--------|-----------------------------------------------------------------------------------|
| C82.30 | Follicular lymphoma grade IIIa, unspecified site                                  |
| C82.31 | Follicular lymphoma grade IIIa, lymph nodes of head, face and neck                |
| C82.32 | Follicular lymphoma, grade IIIa, intrathoracic lymph nodes                        |
| C82.33 | Follicular lymphoma grade IIIa, intra-abdominal lymph nodes                       |
| C82.34 | Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb              |
| C82.35 | Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb     |
| C82.36 | Follicular lymphoma grade IIIa, intrapelvic lymph nodes                           |
| C82.37 | Follicular lymphoma grade IIIa, spleen                                            |
| C82.38 | Follicular lymphoma grade IIIa, lymph nodes of multiple sites                     |
| C82.39 | Follicular lymphoma grade IIIa, extranodal and solid organ sites                  |
| C82.40 | Follicular lymphoma grade IIIb, unspecified site                                  |
| C82.41 | Follicular lymphoma grade IIIb, lymph nodes of head, face and neck                |
| C82.42 | Follicular lymphoma, grade IIIb, intrathoracic lymph nodes                        |
| C82.43 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes                       |
| C82.44 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb              |
| C82.45 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb     |
| C82.46 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes                           |
| C82.47 | Follicular lymphoma grade IIIb, spleen                                            |
| C82.48 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites                     |
| C82.49 | Follicular lymphoma grade IIIb, extranodal and solid organ sites                  |
| C82.50 | Diffuse follicle center lymphoma, unspecified site                                |
| C82.51 | Diffuse follicle center lymphoma, lymph nodes of head, face, and neck             |
| C82.52 | Diffuse follicle center lymphoma, intrathoracic lymph nodes                       |
| C82.53 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes                     |
| C82.54 | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb            |
| C82.55 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb   |
| C82.56 | Diffuse follicle center lymphoma, intrapelvic lymph nodes                         |
| C82.57 | Diffuse follicle center lymphoma, spleen                                          |
| C82.58 | Diffuse follicle center lymphoma, lymph nodes of multiple sites                   |
| C82.59 | Diffuse follicle center lymphoma, extranodal and solid organ sites                |
| C82.60 | Cutaneous follicle center lymphoma, unspecified site                              |
| C82.61 | Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck           |
| C82.62 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes                     |
| C82.63 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes                   |
| C82.64 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb          |
| C82.65 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.66 | Cutaneous follicle center lymphoma, intrapelvic lymph nodes                       |
| C82.67 | Cutaneous follicle center lymphoma, spleen                                        |
| C82.68 | Cutaneous follicle center lymphoma, lymph nodes of multiple sites                 |

|        |                                                                                               |
|--------|-----------------------------------------------------------------------------------------------|
| C82.69 | Cutaneous follicle center lymphoma, extranodal and solid organ sites                          |
| C82.80 | Other types of follicular lymphoma, unspecified site                                          |
| C82.81 | Other types of follicular lymphoma, lymph nodes of head, face, and neck                       |
| C82.82 | Other types of follicular lymphoma, intrathoracic lymph nodes                                 |
| C82.83 | Other types of follicular lymphoma, intra-abdominal lymph nodes                               |
| C82.84 | Other types of follicular lymphoma, lymph nodes of axilla and upper limb                      |
| C82.85 | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb             |
| C82.86 | Other types of follicular lymphoma, intrapelvic lymph nodes                                   |
| C82.87 | Other types of follicular lymphoma, spleen                                                    |
| C82.88 | Other types of follicular lymphoma, lymph nodes of multiple sites                             |
| C82.89 | Other types of follicular lymphoma, extranodal and solid organ sites                          |
| C82.90 | Follicular lymphoma, unspecified, unspecified site                                            |
| C82.91 | Follicular lymphoma, unspecified, lymph nodes of head, face and neck                          |
| C82.92 | Follicular lymphoma, unspecified, intrathoracic lymph nodes                                   |
| C82.93 | Follicular lymphoma, unspecified, intra-abdominal lymph nodes                                 |
| C82.94 | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb                        |
| C82.95 | Follicular lymphoma, unspecified lymph nodes of inguinal region and lower limb                |
| C82.96 | Follicular lymphoma, unspecified, intrapelvic lymph nodes                                     |
| C82.97 | Follicular lymphoma, unspecified, spleen                                                      |
| C82.98 | Follicular lymphoma, unspecified, lymph nodes of multiple sites                               |
| C82.99 | Follicular lymphoma, unspecified, extranodal and solid organ sites                            |
| C83.00 | Small cell B-cell lymphoma, unspecified site                                                  |
| C83.07 | Small cell B-cell lymphoma, spleen                                                            |
| C83.08 | Small cell B-cell lymphoma, lymph nodes of multiple sites                                     |
| C83.80 | Other non-follicular lymphoma, unspecified site                                               |
| C83.81 | Other non-follicular lymphoma, lymph nodes of head, face and neck                             |
| C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes                                      |
| C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes                                    |
| C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb                           |
| C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb                  |
| C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes                                        |
| C83.87 | Other non-follicular lymphoma, spleen                                                         |
| C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites                                  |
| C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites                               |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen                                         |
| C88.4  | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue (MALT-lymphoma) |

## Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at:

<https://www.cms.gov/medicare-coverage-database/search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

| Medicare Part B Administrative Contractor (MAC) Jurisdictions |                                                                                             |                                                   |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------|
| Jurisdiction                                                  | Applicable State/US Territory                                                               | Contractor                                        |
| E (1)                                                         | CA, HI, NV, AS, GU, CNMI                                                                    | Noridian Healthcare Solutions, LLC                |
| F (2 & 3)                                                     | AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ                                                      | Noridian Healthcare Solutions, LLC                |
| 5                                                             | KS, NE, IA, MO                                                                              | Wisconsin Physicians Service Insurance Corp (WPS) |
| 6                                                             | MN, WI, IL                                                                                  | National Government Services, Inc. (NGS)          |
| H (4 & 7)                                                     | LA, AR, MS, TX, OK, CO, NM                                                                  | Novitas Solutions, Inc.                           |
| 8                                                             | MI, IN                                                                                      | Wisconsin Physicians Service Insurance Corp (WPS) |
| N (9)                                                         | FL, PR, VI                                                                                  | First Coast Service Options, Inc.                 |
| J (10)                                                        | TN, GA, AL                                                                                  | Palmetto GBA, LLC                                 |
| M (11)                                                        | NC, SC, WV, VA (excluding below)                                                            | Palmetto GBA, LLC                                 |
| L (12)                                                        | DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA) | Novitas Solutions, Inc.                           |
| K (13 & 14)                                                   | NY, CT, MA, RI, VT, ME, NH                                                                  | National Government Services, Inc. (NGS)          |
| 15                                                            | KY, OH                                                                                      | CGS Administrators, LLC                           |

## Nondiscrimination & Language Access Policy

Aspirus Health Plan, Inc. complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, sex, sexual orientation, or gender identity. We do not exclude people or treat them differently because of race, color, national origin, age, disability, sex, sexual orientation, or gender identity.

We will:

Provide free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provide free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact us at the phone number shown on the inside cover of this contract, your id card, or [aspirushealthplan.com](http://aspirushealthplan.com).

If you believe that we have failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, sex, sexual orientation, or gender identity, you can file a grievance with:

Nondiscrimination Grievance Coordinator  
Aspirus Health Plan, Inc.  
PO Box 1062  
Minneapolis, MN 55440  
Phone: 1.866.631.5404 (TTY: 711)  
Fax: 763.847.4010  
Email: [customerservice@aspirushealthplan.com](mailto:customerservice@aspirushealthplan.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Nondiscrimination Grievance Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

## Language Assistance Services

**Albanian:** KUJDES: Nëse flitni shqip, për ju ka në dispozicion shërbime të asistencës gjuhësore, pa pagesë. Telefononi në 1.866.631.5404 (TTY: 711).

**Arabic:** تنبيه: إذا كنت تتحدث اللغة العربية، فإن خدمات المساعدة اللغوية متاحة لك مجاناً. اتصل بن اعلی رقم الهاتف 1.866.631.5404 (رقم هاتف الصم والبك : 711)

**French:** ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelezle 1.866.631.5404 (ATS : 711).

**German:** ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.866.631.5404 (TTY: 711).

**Hindi:** \_यान द\_ : य\_द आप िहंदी बोलते ह\_ तो आपके िलए मु\_त म\_ भाषा सहायता सेवाएं उपल\_ध ह\_। 1.866.631.5404 (TTY: 711) पर कॉल कर\_।

**Hmong:** LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.866.631.5404 (TTY: 711).

**Korean:** 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.866.631.5404 (TTY: 711)번으로 전화해 주십시오.

**Polish:** UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 1.866.631.5404 (TTY: 711).

**Russian:** ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.866.631.5404 (телетайп: 711).

**Spanish:** ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.866.631.5404 (TTY: 711).

**Tagalog:** PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nangwalang bayad. Tumawag sa 1.866.631.5404 (TTY: 711)

**Traditional Chinese:** 注意: 如果您使用繁體中文, 您可以免費獲得語言援助服務。請致電 1.866.631.5404 (TTY: 711)。

**Vietnamese:** CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.866.631.5404 (TTY: 711).

**Pennsylvania Dutch:** Wann du Deitsch (Pennsylvania German / Dutch) schwetzscht, kannscht du mitaus Koschte ebbergricke, ass dihr helft mit die englisch Schprooch. Ruf selli Nummer uff: Call 1.866.631.5404 (TTY: 711).

**Lao:** ໄປດຊາຍ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 1.866.631.5404 (TTY: 711).