

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 1 of 8

PURPOSE:

The intent of this clinical policy is to ensure services are medically necessary.

Please refer to the member's benefit document for specific information. To the extent there is any inconsistency between this policy and the terms of the member's benefit plan or certificate of coverage, the terms of the member's benefit plan document will govern.

POLICY:

Benefits must be available for health care services. Health care services must be ordered by a provider. Health care services must be medically necessary, applicable conservative treatments must have been tried, and the most cost-effective alternative must be requested for coverage consideration.

GUIDELINES:

Medical Necessity Criteria - Must satisfy any of the following: I - III

- I. Members less than 18 years of age – must satisfy all of the following: A - B
 - A. Documentation that the member and/or member's guardian has completed diabetic education, with a *Certified Diabetic Educator (CDE)*, that includes education on carbohydrate-counting and appropriately managing and troubleshooting unexpected glucose measurements; and
 - B. Documentation of frequency of glucose self-testing an average of at least 3 times per day during the past month.

- II. Members greater than or equal to 18 years of age – must satisfy all of the following: A - E
 - A. Documentation that the member is managed by a provider-coordinated team expert both in the management of and support of patients with complex diabetic conditions (such as, but not limited to, experience in management of diabetes requiring insulin pumps as well as continuous glucose monitoring systems).
 - B. Compliant with a program of multiple daily injections (MDI) of insulin; and
 - C. Has required frequent self-adjustments of insulin doses for the past 6 months (eg, documentation supports that the member is counting carbohydrates [adjusting the amount of insulin used based on the number of carbs eaten] and/or is on sliding scale insulin [adjusting the amount of insulin used based on the blood glucose level]); and
 - D. Documentation of frequency of glucose self-testing an average of at least 3 times per day during the past month; and
(Note: Criterion met if member is using a continuous glucose monitoring system)
 - E. Has documentation of any of the following while on a multiple daily injection regimen: 1 - 5
 - 1. Glycated hemoglobin (HbA1c) level greater than 7.0%; or
 - 2. "Brittle" diabetes mellitus with recurrent episodes of diabetic ketoacidosis, hypoglycemia or both, resulting in recurrent and/or prolonged hospitalization; or

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 2 of 8

3. History of recurring hypoglycemia or severe glycemc excursions; or
4. Wide fluctuations in blood glucose before mealtime; or
5. "Dawn phenomenon" with fasting blood sugars frequently exceeding 200 mg/dL.

III. Request is for a member who is insulin dependent and is pre-conception or currently pregnant

[Note: Disposable external insulin infusion pump (eg, OmniPod Dash, OmniPod 5) is considered an acceptable alternative to a standard insulin infusion pump for members who meet medical necessity criteria for external insulin infusion pumps.]

EXCLUSIONS (not limited to):

Refer to member's Certificate of Coverage or Summary Plan Description.

DEFINITIONS:

Adjunctive/Non-Therapeutic continuous glucose monitor (CGM):

Adjunctive/non-therapeutic CGM are devices used as an adjunct to blood glucose monitor (BGM) testing (ie, primary therapeutic decisions regarding diabetes treatment must be made with a standard home BGM, not the CGM).

Certified Diabetes Educator:

A health professional who possesses comprehensive knowledge of and experience in diabetes management, prediabetes, and diabetes prevention. A CDE educates and supports people affected by diabetes to understand and manage the condition. A CDE promotes self-management to achieve individualized behavioral and treatment goals that optimize health outcomes

Malfunctioning:

The failure of a device to meet its performance specifications or otherwise perform as intended. Performance specifications include all claims made in the labeling for the device.

Non-adjunctive/Therapeutic continuous glucose monitor (CGM):

Non-adjunctive/therapeutic CGM are defined as CGM used as a replacement for fingerstick blood glucose testing for diabetes treatment decisions i.e., non-adjunctive use.

BACKGROUND:

Hyperlinks to insulin pump information:

[Closing the loop with insulin pumps - Mayo Clinic Health System](#)

[Insulin Pump Therapy Video](#)

[Medtronic 770G](#)

[Medtronic 630G](#)

[Omnipod 5](#)

[Omnipod DASH](#)

[Tandem tSlim X2](#)

Continuous Glucose Monitoring Systems

Continuous glucose monitoring systems (CGMS) are devices that measure glucose levels in interstitial fluid at programmable intervals. These readings help detect any patterns or trends with an individual's

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 3 of 8

glucose levels to help improve diabetes management. The majority of the FDA approved CGMS are intended to assist in calculating the insulin dosage needed to manage glycemic control. CGMS readings may also be used as adjunctive devices to complement, not replace, information obtained from standard home glucose monitoring and to supplement, not replace, a fingerstick (*non-therapeutic continuous glucose monitor*)

CGMS use sensors that are inserted under the skin in the abdomen and work by extracting glucose from the interstitial fluid, measuring and recording the glucose level and converting these measurements into equivalent blood glucose readings.

Sensors are designed to be worn three days to two weeks, depending on the product. The exception is Eversense (sensor is implanted and replaced every 90 days). Calibration is required whenever a new glucose sensor is inserted, which in most devices, requires obtaining blood glucose from a traditional fingerstick sample.

http://main.diabetes.org/dforg/pdfs/2020/2020-cg-continuous-glucose-monitors.pdf?utm_source=Offline&utm_medium=Print&utm_content=cgms&utm_campaign=DF&s_src=vanity&s_subsrc=cgms

Examples of US Food and Drug Administration (FDA) approved devices include, but are not limited to:

Stand-Alone Continuous Glucose Monitors

- **Abbott FreeStyle Libre 14-day System:** Reads glucose levels through a sensor that is worn on the back of the upper arm. It communicates continuously with the reader, but you have to scan the sensor to get a reading. FreeStyle LibreLink app allows users to view their real-time glucose levels, access their eight-hour glucose history, and see changes in glucose on a smartphone instead of the reader. Glucose levels are displayed as number values as well as trends. The reader has a built-in meter. No finger-stick confirmation required when making treatment decisions. The LibreLinkUp app allows up to 20 people to track a user's glucose data and trends on select Apple and Android smartphones. Water-resistant for up to 3 feet deep for 30 minutes, so you can wear it while bathing. Approved for use by adults 18 and over. (HCPCS K0553, K0554) *Non-adjunctive/therapeutic continuous glucose monitor*
- **Dexcom G5 Mobile:** Users can get CGM data and alerts in real time on their smart device, including the Apple Watch. A receiver is available but is not necessary. No finger-stick confirmation required when making treatment decisions. Built-in hypoglycemia safety alarm alerts user when glucose hits 55 mg/dl and is always on. Customizable alerts with a number of different tones tell user when glucose falls below or rises above user-selected limits and when glucose is rising or falling rapidly. When calibrating, manually enter a glucose reading from any meter. Sensor with attached transmitter is water-resistant for up to 8 feet deep for 24 hours, so you can wear it while bathing and swimming. The receiver should not get wet. Using Dexcom's Follow app, up to five caregivers can view real-time glucose readings on Apple or select Android devices. Approved for use by adults and children 2 and over. (HCPCS K0553, K0554) *Non-adjunctive/therapeutic continuous glucose monitor*
- **Dexcom G6 System:** Users can get CGM data and alerts in real time on their smart device, including the Apple Watch. A receiver is available but is not necessary. No finger-stick confirmation required when making treatment decisions. Built-in hypoglycemia safety alarm alerts user when glucose hits 55 mg/dl and is always on. Customizable alerts with a number of different tones tell user when glucose falls below or rises above user-selected limits and when glucose is rising or falling rapidly. Sensor with attached transmitter is water-resistant for up to 8 feet deep for 24 hours, so you can wear

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 4 of 8

it while bathing and swimming. The receiver should not get wet. Using Dexcom's Follow app, up to 10 caregivers can view real-time glucose readings on Apple or select Android devices. Approved for use by adults and children 2 and over. (HCPCS K0553, K0554) *Non-adjunctive/therapeutic continuous glucose monitor*

- **Medtronic Diabetes Guardian Connect:** Users can get CGM data and alerts in real time on their smart device, including the Apple Watch. Alerts users 10 to 60 minutes before high or low blood glucose levels are expected. Also works with the Sugar.IQ app, which can track specified meals and predict the likelihood of low blood glucose within the next four hours. Water-resistant for up to 8 feet deep for 30 minutes, so you can wear it while bathing and swimming. Approved for use by adults and children 14 and over.
- **Senseonics Eversense:** Provides continuous glucose monitoring for up to 90 days via a pill-sized sensor implanted just under the skin by a health care provider. A removable and rechargeable transmitter sits on top of the skin and sends data to a mobile app for Android and Apple devices. A separate receiver is not required. No finger-stick confirmation required when making treatment decisions. Predictive alerts help users know if glucose is trending high or low. Eversense is the only CGM approved for use during an MRI. Using the Eversense Now app, up to five caregivers can view real-time glucose readings and receive alerts on Apple devices. The transmitter is water resistant. It also vibrates against the body when glucose hits a preset high or low level, even if the smart device is not in range. Approved for use by adults 18 and older.

Combination Continuous Glucose Monitors - Insulin Pumps

- **Medtronic Diabetes MiniMed 630G System:** Functions as both an insulin pump and a CGM. (More on its pump functions on p. 60.) SmartGuard technology automatically stops insulin delivery for up to 2 hours when glucose values reach a user-selected low threshold and there is no response to the alarm. Alerts user up to 30 minutes before glucose hits a user-selected upper or lower limit, when glucose is rising or falling rapidly, and when glucose reaches a preset high or low limit. The Contour Next Link 2.4 meter wirelessly communicates with the system, so no manual entry is needed for calibration, insulin dosing, or remote bolus delivery. You can manually enter a glucose reading from any meter. Sensor with attached transmitter is waterproof for 8 feet deep for up to 30 minutes, so you can wear it when bathing and swimming. Pump is waterproof for 12 feet deep for up to 24 hours. The 630G with Guardian Sensor 3 is approved for use by adults and children 14 and over. The 630G with Enlite Sensor is approved for use by adults and children 16 and over.
- **Medtronic Diabetes MiniMed 670G System:** Functions as both an insulin pump and a CGM. (More on its pump functions on p. 62.) In Auto Mode, SmartGuard technology automatically adjusts basal insulin delivery every five minutes based on the user's sensor glucose values and recent insulin delivery, though it still requires users to enter carb grams and confirm mealtime and correction bolus recommendations. System can stop insulin delivery before glucose levels reach a user-selected low limit and resume delivery when glucose levels recover. The Contour Next Link 2.4 meter wirelessly communicates with the system, so no manual entry is needed for calibration, insulin dosing, or remote bolus delivery. You can manually enter a glucose reading from a non-linked meter. Sensor with attached transmitter is waterproof for 8 feet deep for up to 30 minutes, so you can wear it when bathing and swimming. Pump is waterproof for 12 feet deep for up to 24 hours. Approved for use by adults and children 7 and over with type 1 diabetes
- **Medtronic Diabetes MiniMed 770G System:** Functions as both an insulin pump and a CGM. The system has two modes; Manual Mode and Auto Mode. While in Manual Mode, the system can be

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 5 of 8

programmed by the user to deliver basal insulin at a preprogrammed constant rate. The system will automatically suspend delivery of insulin if the sensor glucose value falls below or is predicted to fall below a predetermined threshold. The system will automatically resume delivery of insulin once sensor glucose values rise above or are predicted to rise above a predetermined threshold. While in Auto Mode, the system can automatically adjust basal insulin by continuously increasing, decreasing, or suspending delivery of insulin based on CGM values (different from Manual Mode where basal insulin is delivered at a constant rate). Although Auto Mode can automatically adjust basal insulin delivery without input from the user, the user must still manually deliver insulin therapy during meals. Approved for use by adults and children 2 and over with type 1 diabetes.

- Tandem Diabetes Care T:slim X2 Pump with Basal-IQ Technology:** Functions as both an insulin pump and a CGM, once integrated with the Dexcom G6 sensor and transmitter. (More on its pump functions on p. 62.) Basal-IQ technology predicts glucose levels and temporarily stops insulin delivery if glucose is expected to drop below 80 mg/dl in the next 30 minutes. No finger-stick confirmation required when making treatment decisions. Built-in hypoglycemia safety alarm alerts user when glucose hits 55 mg/dl and is always on. Customizable alerts with a number of different tones tell user when glucose falls below or rises above user-selected limits and when glucose is rising or falling rapidly. Sensor with attached transmitter is water-resistant for up to 8 feet deep for 24 hours, so you can wear it while bathing and swimming. Pump is watertight for up to 3 feet deep for 30 minutes. Approved for use by adults and children 6 and over.
- Tandem Diabetes Care T:slim X2 Pump with Control-IQ Technology:** Functions as both an insulin pump and a CGM, once integrated with the Dexcom G6 sensor and transmitter. (More on its pump functions on p. 62.) Automatically adjusts basal insulin delivery based on sensor glucose readings. With Control-IQ technology, the system can automatically deliver a correction bolus, though it still requires users to bolus for meals. No finger-stick confirmation required when making treatment decisions. Built-in hypoglycemia safety alarm alerts user when glucose hits 55 mg/dl and is always on. Customizable alerts with a number of different tones tell user when glucose falls below or rises above user-selected limits and when glucose is rising or falling rapidly. Sensor with attached transmitter is water-resistant for up to 8 feet deep for 24 hours, so you can wear it while bathing and swimming. Pump is watertight for up to 3 feet deep for 30 minutes. Approved for use by adults and children 6 and over.

Insulin Pumps

Insulin pumps are devices used to deliver insulin in a programmed and controlled manner to diabetic individuals. These devices work with a separate glucometer through manual or remote functions. The goal of insulin pump therapy is to achieve near-normal control of blood glucose levels. Insulin pumps are categorized as follows:

External insulin pumps: Deliver insulin via subcutaneous or intraperitoneal routes. External insulin pumps may be either disposable or have disposable components.

http://main.diabetes.org/dforg/pdfs/2020/2020-cg-insulin-pumps.pdf?utm_source=Offline&utm_medium=Print&utm_content=insulinpumps&utm_campaign=DF&s_src=vanity&s_subsrc=insulinpumps

Examples of FDA approved external insulin pumps include, but are not limited to:

- Insulet Corp. OmniPod:** Does not use tubing. The system includes a pod that is worn for up to 72 hours and a remote personal diabetes manager (PDM) that controls the pod's functions and has a built-in blood glucose meter. Pod must be within 5 feet of the PDM to deliver bolus doses. The pod

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 6 of 8

delivers basal insulin regardless of how close it is to the PDM. The PDM contains more than 1,000 common foods (with nutrition information) and stores up to 36 preset carb values. Pod is waterproof for up to 25 feet deep for 60 minutes, so there's no need to disconnect while swimming or bathing. The PDM is not waterproof. Works with Glooko, Tidepool, and Diasend data-management systems. Approved for use by adults and children.

- Insulet Corp. OmniPod Dash:** Does not use tubing. The system includes a pod that is worn for up to 72 hours and a personal diabetes manager (PDM) with color touch screen that controls the pod's functions. The PDM connects to the Contour Next One blood glucose meter so users can see blood glucose readings in the PDM's bolus calculator. OmniPod Display app allows users to view PDM data on their smartphones, and the View app shares data with up to 12 friends or family members. Pod must be within 5 feet of the PDM to deliver bolus doses. The pod delivers basal insulin regardless of how close it is to the PDM. The PDM features CalorieKing, with 80,000 foods and drinks (English only), and stores up to 50 preset carb values. Pod is waterproof for up to 25 feet deep for 60 minutes, so there's no need to disconnect while swimming or bathing. The PDM is not waterproof. Works with Glooko, Tidepool, and Diasend data-management systems. Approved for use by adults and children 2 and over.
- Sooil Development Dana Diabecare IIS:** Menu uses icons instead of words. Available in five colors. Pump is waterproof for 3.3 feet deep for up to 1 hour. Does not work with data-management software. Approved for use by adults and children 7 and over.

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 7 of 8

Prior Authorization: Yes, per network provider agreement - for external insulin infusion pump (E0784, E0787, S1034) initial and replacement requests

Prior authorization is not required for supplies, insulin delivery system or insulin (A4225, A4226, A4230, A4231, A4232, A9274, J1817)

CODING: HCPCS 2022

- A4225 Supplies for external insulin infusion pump, syringe type cartridge, sterile, each
- A4226 Supplies for maintenance of insulin infusion pump with dosage rate adjustment using therapeutic continuous glucose sensing, per week
- A4230 Infusion set for external insulin pump, non-needle cannula type
- A4231 Infusion set for external insulin pump, needle type
- A4232 Syringe with needle for external insulin pump, sterile, 3cc
- A9274 External ambulatory insulin delivery system, disposable, each, includes all supplies and accessories (OmniPod, V-Go)
- E0784 External ambulatory infusion pump, insulin
- E0787 External ambulatory infusion pump, insulin, dosage rate adjustment using therapeutic continuous glucose sensing
- J1817 Insulin for administration through DME (i.e., insulin pump) per 50 units
- S1034 Artificial pancreas device system (e.g., low glucose suspend (LGS) feature including continuous glucose monitor; blood glucose device, insulin pump and computer algorithm that communicates with all of the devices

REFERENCES:

1. Integrated Healthcare Services Process Manual: UR015 Use of Medical Policy and Criteria
2. Clinical Policy: MC/L008 DMEPOS, Continuous Glucose Monitoring Systems for Long-term Use
3. Clinical Policy: MP/C009 Coverage Determination Guidelines
4. Clinical Policy: MP/D004 MP/D004 DMEPOS (Durable Medical Equipment, Prosthetics, Orthotics and Supplies)
5. Bergenstal, et al. The Effectiveness of Sensor-Augmented Insulin-Pump Therapy in Type 1 Diabetes. *N Engl J Med* 2010;363 4:311-320.
6. American Association of Clinical Endocrinologists (AACE). Clinical Practice Guideline. Diabetes Technology - Continuous Subcutaneous Insulin Infusion Therapy and Continuous Glucose Monitoring in Adults. *J Clin Endocrinol Metab*, November 2016, 101(11):3922–3937.
7. McGill JB, Ahmann A. Continuous Glucose Monitoring with Multiple Daily Insulin Treatment: Outcome Studies. *Diabetes Technol/ Ther.* 2017 Jun 1;19(Suppl 3):S-3-S-12.
8. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: Dexcom G6 mobile continuous glucose monitoring system. <http://www.fda.gov>. Published March 27, 2018.
9. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: Dexcom G5 mobile continuous glucose monitoring system. <http://www.fda.gov>. Published July 21, 2016.
10. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: FreeStyle Libre Flash glucose monitoring system. <http://www.fda.gov>. Published September 27, 2017.
11. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: MiniMed 530G System. <http://www.fda.gov>. Published December 17, 2004.
12. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: MiniMed 630G System with SmartGuard. <http://www.fda.gov>. Published August 10, 2016.
13. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: MiniMed 670G System. <http://www.fda.gov>. Published September 28, 2016.

Department of Origin: Integrated Healthcare Services	Effective Date: 09/15/22
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/07/22
Clinical Policy Document: DMEPOS, Insulin Infusion Pump	Replaces Effective Clinical Policy Dated: 06/07/22
Reference #: MC/L011	Page: 8 of 8

14. US Food and Drug Administration (FDA). MiniMed 770G System. https://www.accessdata.fda.gov/cdrh_docs/pdf16/P160017S076A.pdf
15. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: Paradigm REAL-Time Revel insulin pump. <http://www.fda.gov>. Published December 7, 2015.
16. US Food and Drug Administration (FDA). Summary of safety and effectiveness data: t:slim X2 insulin pump with Dexcom G5 mobile CGM. <http://www.fda.gov>. Published August 25, 2017.
17. U.S. Food and Drug Administration. 510(k) database. Product code LZG.
18. American Association of Clinical Endocrinologists (AACE) and American College of Endocrinology (ACE) Consensus Statement. Consensus Statement by the American Association of Clinical Endocrinologists/ American College of Endocrinology Insulin Pump Management Task Force. *Endocr Pract* 2014;20(5):463-489. Retrieved from https://pro.aace.com/resources?keys=&field_disease_state_content_t_value%5BPosition%20and%20Consensus%20Statements%5D=Position%20and%20Consensus%20Statements. Accessed 03-08-22.
19. AACE/ACE Consensus Statement. Consensus Statement by the American Association of Clinical Endocrinologists and American College of Endocrinology on the Comprehensive Type 2 Diabetes Management Algorithm 2020 Executive Summary. *Endocr Pract* 2020;26(No. 1):107-139. Retrieved from https://pro.aace.com/resources?keys=&field_disease_state_content_t_value%5BGuidelines%5D=Guidelines. Accessed 03-08-22.
20. American Diabetes Association. 7. Diabetes Technology: Standards of Medical Care in Diabetes – 2020. *Diabetes Care* 2020 Jan;43(Supplement 1):S77–S88. Retrieved from https://care.diabetesjournals.org/content/43/Supplement_1/S77. Accessed 03-08-22.
21. V-Go Disposable Insulin delivery Device for the Management of Type 1 or Type 2 Diabetes. Hayes Health Technology Assessment. October 24, 2018. Archived Nov 23, 2021. Annual Review Dec 9, 2019. Retrieved from <https://evidence.hayesinc.com/report/htb.vgo2634>. Accessed 03-08-22.
22. Hayes Inc. Health Technology Assessment. Continuous Subcutaneous Insulin Infusion with OmniPod Insulin Management System (Insulet Corporation) for Management of Diabetes Mellitus. Hayes Health Technology Assessment. Jan 23, 2020. Annual Review Dec 31, 2021. Retrieved from <https://evidence.hayesinc.com/report/htb.omnipod962>. Accessed 03-08-22.

DOCUMENT HISTORY:

Created Date: 03/04/11
Reviewed Date: 02/27/12, 02/27/13, 02/27/14, 02/27/15, 02/26/16, 02/24/17, 02/05/18, 02/05/19, 02/03/20, 02/03/21, 02/16/22
Revised Date: 09/27/17, 05/18/18, 04/23/19, 09/11/19, 12/03/19, 07/10/20, 04/14/21, 08/04/22

Nondiscrimination & Language Access Policy

Aspirus Health Plan, Inc. complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *We* do not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

We will:

- Provide free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provide free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If *you* need these services, contact *us* at the phone number shown on the inside cover of this *COC*, *your* id card, or aspirushealthplan.com.

If *you* believe that *we* have failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, *you* can file a grievance with:

Nondiscrimination Grievance Coordinator
Aspirus Health Plan, Inc.
PO Box 1062
Minneapolis, MN 55440
Phone: 1. 866.631.5404 (TTY: 1.866.631.8597)
Fax: 763.847.4010
Email: customerservice@aspirushealthplan.com

You can file a grievance in person or by mail, fax, or email. If *you* need help filing a grievance, the Nondiscrimination Grievance Coordinator is available to help *you*.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

Albanian: KUJDES: Nëse flitni shqip, për ju ka në dispozicion shërbime të asistencës gjuhësore, pa pagesë. Telefononi në 1.866.631.5404 (TTY: 1.866.631.8597).

تنبيه: إذا كنت تتحدث اللغة العربية، فإن خدمات المساعدة اللغوية 1.866.631.5404 (رقم هاتف الصم والبك : 1.866.631.8597) متاحة لك مجاناً. اتصل بن اعلى رقم الهاتف
Arabic

French: ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.866.631.5404 (ATS : 1.866.631.8597).

German: ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.866.631.5404 (TTY: 1.866.631.8597).

Hindi: _यान द_ : य_द आप िहंदी बोलते ह_ तो आपके िलए मु_त म_ भाषा सहायता सेवाएं उपल_ध ह_। 1-800-332-650 (TTY: 1.866.631.8597) पर कॉल कर_।

Hmong: LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.866.631.5404 (TTY: 1.866.631.8597).

Korean: 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.866.631.5404 (TTY: 1.866.631.8597) 번으로 전화해 주십시오.

Polish: UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 1.866.631.5404 (TTY: 1.866.631.8597).

Russian: ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.866.631.5404 (телетайп: 1.866.631.8597).

Spanish: ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.866.631.5404 (TTY: 1.866.631.8597).

Tagalog: PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nangwalang bayad. Tumawag sa 1.866.631.5404 (TTY: 1.866.631.8597).

Traditional Chinese: 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.866.631.5404 (TTY : 1.866.631.8597)

Vietnamese: CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.866.631.5404 (TTY: 1.866.631.8597).

Pennsylvania Dutch: Wann du Deitsch (Pennsylvania German / Dutch) schwetzscht, kannscht du mitaus Koschte ebbergricke, ass dihr helft mit die englisch Schprooch. Ruf selli Nummer uff: Call 1.866.631.5404 (TTY: 1.866.631.8597).

Lao: ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທສ 1.866.631.5404 (TTY: 1.866.631.8597).